

FULL POWER GRAFFITI REMOVER

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Revision date: 6/20/2019 Version: 10.1

Generated : 20/06/2019

1.1. Product identifier	substance/mixture and of the company/undertaking	
Product form	: Mixture	
Product name	: FULL POWER GRAFFITI REMOVER	
Product code	: K176	
Type of product	: Aerosol	
Vaporizer	: Aerosol	
1.2. Relevant identified uses of the su	ubstance or mixture and uses advised against	
1.2.1. Relevant identified uses		
Main use category	: Professional use	
Industrial/Professional use spec	: For professional use only	
Use of the substance/mixture	: Graffiti remover	
 1.2.2. Uses advised against No additional information available 1.3. Details of the supplier of the safe 	atv data sheet	
SELDEN RESEARCH LIMITED		
SELDEN RESEARCH LIMITED	STADEN LANE, BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINGDOM Tel: 01298 26226 Fax: 01298 26540 Email: safety@selden.co.uk	
1.4. Emergency telephone number		
Emergency number	Mon to Fri 8.30am to 5.00pm - 01298 26226	
SECTION 2: Hazards identificatio 2.1. Classification of the substance of		
Classification according to Regulation (E	C) No. 1272/2008 [CLP]Mixtures: SDS < 2015 : Show CLP information only	
Aerosol, Category 1	H222;H229	
Serious eye damage/eye irritation, Category		
Full text of H statements : see section 16		
Adverse physicochemical, human health	and environmental effects	
No additional information available		
2.2. Label elements		
Labelling according to Regulation (EC) No Hazard pictograms (CLP)		
	GHS02 GHS05	
Signal word (CLP)	: Danger	
Hazardous ingredients	: Oxirane, 2-methyl-, polymer with oxirane, mono(2-propylheptyl) ether; Alcohol Alkoxylate	
Hazard statements (CLP)	: H222 - Extremely flammable aerosol. H229 - Pressurised container: May burst if heated. H218 - Causes serious ave damage.	
Precautionary statements (CLP)	H318 - Causes serious eye damage. : P102 - Keep out of reach of children.	
	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 - Do not spray on an open flame or other ignition source. P251 - Do not pierce or burn, even after use. P280 - Wear eye protection. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P315 - Get immediate medical advice/attention. P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. 	
2.3. Other hazards		
No additional information available		

SECTION 3: Composition/information on ingredients 3.1. Substances

Not applicable

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

3.2. Mixtures

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
propylene carbonate	(CAS-No.) 108-32-7 (EC-No.) 203-572-1 (EC Index-No.) 607-194-00-1	10 - 15	Xi; R36	Eye Irrit. 2, H319
butane substance with national workplace exposure limit(s) (GB)	(CAS-No.) 106-97-8 (EC-No.) 203-448-7 (EC Index-No.) 601-004-00-0	5 - 10	F+; R12	Flam. Gas 1, H220 Press. Gas
Oxirane, 2-methyl-, polymer with oxirane, mono(2-propylheptyl) ether	(CAS-No.) Polymer_DT01	1 - 5	Xn; R22 Xi; R41	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Alcohol Alkoxylate	(CAS-No.) 166736-08-9	1 - 5	Xn; R22 Xi; R41	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

Full text of R- and H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Get medical advice/attention if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash with plenty of water/
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention.
4.2. Most important symptoms and effects,	both acute and delayed
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact	: Causes eye irritation.
Symptoms/effects after ingestion	: May cause a light irritation of the linings of the mouth, throat, and gastrointestinal tract.
4.3. Indication of any immediate medical att	tention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: Carbon dioxide. Dry powder. Foam.	
5.2. Special hazards arising from the substance or mixture		
Fire hazard	: Extremely flammable aerosol.	
Explosion hazard	: Explosion risk in case of fire.	
5.3. Advice for firefighters		
Firefighting instructions	: Use water spray or fog for cooling exposed containers.	

SECTION 6: Accidental release measu 6.1. Personal precautions, protective equip General measures		
6.1.1. For non-emergency personnel		
Emergency procedures	: Evacuate unnecessary personnel.	
6.1.2. For emergency responders		
Protective equipment	: Use personal protective equipment as required.	
6.2. Environmental precautions		
Avoid release to the environment.		
6.3. Methods and material for containment and cleaning up		
For containment	: Collect spillage.	
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.	
6.4. Reference to other sections		
For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.		

Document generated @ 20/06/2019 15:17:21

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Do not pierce or burn, even after use.
Precautions for safe handling	: Do not spray on an open flame or other ignition source.
Hygiene measures	: Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storage, including	any incompatibilities
Technical measures	: Does not require any specific or particular technical measures.
Storage conditions	: Keep away from ignition sources. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
Incompatible products	: Oxidizing agent. Strong acids. Strong bases.
Incompatible materials	: Direct sunlight. Heat sources. Sources of ignition.
Special rules on packaging	: Keep only in original container.
7.3. Specific end use(s)	

No additional information available

SECTION 8: Exposure controls/personal protection 8.1. Control parameters

butane (106-97-8)		
United Kingdom	Local name	Butane
United Kingdom	WEL TWA (mg/m ³)	1450 mg/m³
United Kingdom	WEL TWA (ppm)	600 ppm
United Kingdom	WEL STEL (mg/m ³)	1810 mg/m³
United Kingdom	WEL STEL (ppm)	750 ppm
United Kingdom	Remark (WEL)	Carc, (only applies if Butane contains more than 0.1% of buta-1,3-diene)

8.2. Exposure controls

Not required for normal conditions of use

Hand protection:

In case of repeated or prolonged contact wear gloves

Eye protection:

Safety glasses

Skin and body protection:

Not required for normal conditions of use

Respiratory protection:

Not required for normal conditions of use

Personal protective equipment symbol(s):



9.1. Information on basic physical and	chemical properties
Physical state	: Liquid
Appearance	: Aerosol.
Colour	: Colourless.
Odour	: characteristic.
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 0.9
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
9.2. Other information	

No additional information available

SECTION 10: Stability and reactivity
10.1. Reactivity
Pressurised container: May burst if heated.
10.2. Chemical stability
Stable under normal conditions.
10.3. Possibility of hazardous reactions
No additional information available
10.4. Conditions to avoid
Direct sunlight. Heat. Open flame.
10.5. Incompatible materials
No additional information available
10.6. Hazardous decomposition products
No additional information available

SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Vaporizer	Aerosol

SECTION 12: Ecological inform	nation	
12.1. Toxicity		
Acute aquatic toxicity	: Not classified	
Chronic aquatic toxicity	: Not classified	
Oxirane, 2-methyl-, polymer with oxirane, mono(2-propylheptyl) ether (Polymer_DT01)		
LC50 fish 1	> 10 - 100 mg/l	
EC50 Daphnia 1	> 10 - 100 mg/l	
Document generated @ 20/06/2019 15:17:21		Page 4 of 7

FULL POWER GRAFFITI REMOVER

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

3 3 3 1 (1)	
ErC50 (other aquatic plants)	> 10 - 100 mg/l
Alcohol Alkoxylate (166736-08-9)	
LC50 fish 1	> 10 - 100 mg/l
EC50 Daphnia 1	> 10 - 100 mg/l
ErC50 (other aquatic plants)	> 10 - 100 mg/l
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Other adverse effects No additional information available	
SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Product/Packaging disposal recommendations	: Do not pierce or burn, even after use.
SECTION 14: Transport information	
In accordance with ADR / RID / IMDG / IATA / ADN	
14.1. UN number	
UN-No. (ADR)	: 1950
UN-No. (IMDG)	: 1950
UN-No. (IATA)	: 1950
14.2. UN proper shipping name Proper Shipping Name (ADR)	: AEROSOLS
Proper Shipping Name (IMDG)	: AEROSOLS
Proper Shipping Name (IATA)	: Aerosols, flammable
Transport document description (ADR)	: UN 1950 AEROSOLS, 2.1, (D)
Transport document description (IMDG)	: UN 1950 AEROSOLS, 2.1
Transport document description (IATA)	: UN 1950 Aerosols, flammable, 2.1
14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR)	: 2.1
Danger labels (ADR)	: 2.1
	V
Transport hazard class(es) (IMDG)	: 2.1
Danger labels (IMDG)	: 2.1
	· •

: 2.1 : 2.1

IATA

Transport hazard class(es) (IATA)	
Hazard labels (IATA)	

K176

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

1

	2
14.4. Packing group	•
Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available
14.6. Special precautions for user	
Overland transport	
Classification code (ADR)	: 5F
Special provisions (ADR)	: 190, 327, 344, 625
Limited quantities (ADR)	: 11
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P207, LP02
Special packing provisions (ADR)	: PP87, RR6, L2
Mixed packing provisions (ADR)	: MP9
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: V14
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV9, CV12
Special provisions for carriage - Operation (ADR)	: S2
Tunnel restriction code (ADR)	: D
Transport by sea	
Special provisions (IMDG)	: 63, 190, 277, 327, 344, 959
Limited quantities (IMDG)	: SP277
Excepted quantities (IMDG)	: E0
Packing instructions (IMDG)	: P207, LP02
Special packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire)	: F-D
EmS-No. (Spillage)	: S-U
Stowage category (IMDG)	: None
Air transport	
PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167, A802
ERG code (IATA)	: 10L
14.7. Transport in bulk according to Annex IBC code	

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances Directive 2012/18/EU (SEVESO III)

FULL POWER GRAFFITI REMOVER

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Gas 1	Flammable gases, Category 1	
Press. Gas	Gases under pressure	
H220	Extremely flammable gas.	
H222	Extremely flammable aerosol.	
H229	Pressurised container: May burst if heated.	
H302	Harmful if swallowed.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.