

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture  
Product name : DYMAGEM  
Product code : J014  
Type of product : Detergent

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use  
Industrial/Professional use spec : For professional use only  
Use of the substance/mixture : Machine dishwashing products

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

**SELDEN RESEARCH LIMITED**

STADEN LANE, BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINGDOM  
Tel: 01298 26226 Fax: 01298 26540 Email: safety@selden.co.uk

### 1.4. Emergency telephone number

Emergency number Mon to Fri 8.30am to 5.00pm - 01298 26226

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1B H314  
Full text of H statements : see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

Signal word (CLP) : Danger  
Hazardous ingredients : sodium hydroxide; caustic soda  
Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage.  
Precautionary statements (CLP) : P264 - Wash hands thoroughly after handling.  
P280 - Wear eye protection, protective gloves.  
P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P405 - Store locked up.

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

**Safety Data Sheet**

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

**3.2. Mixtures**

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
sodium hydroxide; caustic soda	(CAS-No.) 1310-73-2 (EC-No.) 215-185-5 (EC Index-No.) 011-002-00-6 (REACH-no) 01-2119457892-27	1 - 5	Skin Corr. 1A, H314
N,N-dimethyldecylamine N-oxide	(CAS-No.) 2605-79-0 (EC-No.) 220-020-5	0.1 - 1	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400

Full text of H-statements: see section 16

**SECTION 4: First aid measures****4.1. Description of first aid measures**

First-aid measures general	: Get medical advice/attention if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash with plenty of water/.... Take off immediately all contaminated clothing and wash it before reuse.
First-aid measures after eye contact	: Immediately rinse with water for a prolonged period while holding the eyelids wide open. Get immediate medical advice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention.

**4.2. Most important symptoms and effects, both acute and delayed**

Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Burns.
Symptoms/effects after eye contact	: Causes serious eye damage.
Symptoms/effects after ingestion	: Burns.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media**

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam.

**5.2. Special hazards arising from the substance or mixture**

Hazardous decomposition products in case of fire : Corrosive vapours.

**5.3. Advice for firefighters**

No additional information available

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****6.1.1. For non-emergency personnel**

Emergency procedures : Evacuate unnecessary personnel.

**6.1.2. For emergency responders**

Protective equipment : Use personal protective equipment as required.

**6.2. Environmental precautions**

Avoid release to the environment.

**6.3. Methods and material for containment and cleaning up**

For containment : Collect spillage.

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

**6.4. Reference to other sections**

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

Precautions for safe handling : Avoid contact with skin and eyes.

Hygiene measures : Do not eat, drink or smoke when using this product.

**7.2. Conditions for safe storage, including any incompatibilities**

Technical measures : Does not require any specific or particular technical measures.

Storage conditions : Keep container closed when not in use.

Incompatible products : Oxidizing agent. Strong acids.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Incompatible materials : Metals.  
 Special rules on packaging : Keep only in original container.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### sodium hydroxide; caustic soda (1310-73-2)

United Kingdom	Local name	Sodium hydroxide
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>

### 8.2. Exposure controls

#### Materials for protective clothing:

Not required for normal conditions of use

#### Hand protection:

Chemical resistant gloves (according to European standard EN 374 or equivalent). Nitrile rubber gloves

#### Eye protection:

Safety glasses. EN 166

#### Skin and body protection:

Not required for normal conditions of use

#### Respiratory protection:

Not required for normal conditions of use

#### Personal protective equipment symbol(s):



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid  
 Appearance : Liquid.  
 Colour : Colourless.  
 Odour : odourless.  
 Odour threshold : No data available  
 pH : 13  
 Relative evaporation rate (butylacetate=1) : No data available  
 Melting point : No data available  
 Freezing point : No data available  
 Boiling point : >= 100 °C  
 Flash point : No data available  
 Auto-ignition temperature : No data available  
 Decomposition temperature : No data available  
 Flammability (solid, gas) : No data available  
 Vapour pressure : No data available  
 Relative vapour density at 20 °C : No data available  
 Relative density : 1.08  
 Solubility : Soluble in water.  
 Log Pow : No data available  
 Viscosity, kinematic : No data available  
 Viscosity, dynamic : No data available  
 Explosive properties : No data available  
 Oxidising properties : No data available

**Safety Data Sheet**

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Explosive limits : No data available

**9.2. Other information**

No additional information available

**SECTION 10: Stability and reactivity****10.1. Reactivity**

The product is non-reactive under normal conditions of use, storage and transport.

**10.2. Chemical stability**

Stable under normal conditions.

**10.3. Possibility of hazardous reactions**

No dangerous reactions known under normal conditions of use.

**10.4. Conditions to avoid**

None under recommended storage and handling conditions (see section 7).

**10.5. Incompatible materials**

metals.

**10.6. Hazardous decomposition products**

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

**SECTION 11: Toxicological information****11.1. Information on toxicological effects**

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Causes severe skin burns and eye damage. pH: 13
Serious eye damage/irritation	: Serious eye damage, category 1, implicit pH: 13
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

**SECTION 12: Ecological information****12.1. Toxicity**

Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Not classified

**sodium hydroxide; caustic soda (1310-73-2)**

LC50 fish 1	> 35 mg/l
EC50 other aquatic organisms 1	> 33 mg/l
EC50 other aquatic organisms 2	IC50 algae (72 h) mg/l

**12.2. Persistence and degradability**

No additional information available

**12.3. Bioaccumulative potential****sodium hydroxide; caustic soda (1310-73-2)**

Log Pow	-3.88
---------	-------

**12.4. Mobility in soil**

No additional information available

**12.5. Results of PBT and vPvB assessment**

No additional information available

**12.6. Other adverse effects**

No additional information available

**SECTION 13: Disposal considerations****13.1. Waste treatment methods**

No additional information available

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

UN-No. (ADR)	: 1824
UN-No. (IMDG)	: 1824
UN-No. (IATA)	: 1824

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR)	: SODIUM HYDROXIDE SOLUTION
Proper Shipping Name (IMDG)	: SODIUM HYDROXIDE SOLUTION
Proper Shipping Name (IATA)	: Sodium hydroxide solution
Transport document description (ADR)	: UN 1824 SODIUM HYDROXIDE SOLUTION, 8, III, (E)
Transport document description (IMDG)	: UN 1824 SODIUM HYDROXIDE SOLUTION, 8, III
Transport document description (IATA)	: UN 1824 Sodium hydroxide solution, 8, III

#### 14.3. Transport hazard class(es)

##### ADR

Transport hazard class(es) (ADR)	: 8
Danger labels (ADR)	: 8



##### IMDG

Transport hazard class(es) (IMDG)	: 8
Danger labels (IMDG)	: 8



##### IATA

Transport hazard class(es) (IATA)	: 8
Hazard labels (IATA)	: 8



#### 14.4. Packing group

Packing group (ADR)	: III
Packing group (IMDG)	: III
Packing group (IATA)	: III

#### 14.5. Environmental hazards

Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

#### 14.6. Special precautions for user


##### Overland transport

Classification code (ADR)	: C5
Limited quantities (ADR)	: 5I
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1

**Safety Data Sheet**

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Tank code (ADR) : L4BN  
 Vehicle for tank carriage : AT  
 Transport category (ADR) : 3  
 Special provisions for carriage - Packages (ADR) : V12  
 Hazard identification number (Kemler No.) : 80  
 Orange plates :



Tunnel restriction code (ADR) : E  
 EAC code : 2R

**Transport by sea**

Special provisions (IMDG) : 223  
 Limited quantities (IMDG) : 5 L  
 Excepted quantities (IMDG) : E1  
 Packing instructions (IMDG) : P001, LP01  
 IBC packing instructions (IMDG) : IBC03  
 Tank instructions (IMDG) : T4  
 Tank special provisions (IMDG) : TP1  
 EmS-No. (Fire) : F-A  
 EmS-No. (Spillage) : S-B  
 Stowage category (IMDG) : A

**Air transport**

PCA Excepted quantities (IATA) : E1  
 PCA Limited quantities (IATA) : Y841  
 PCA limited quantity max net quantity (IATA) : 1L  
 PCA packing instructions (IATA) : 852  
 PCA max net quantity (IATA) : 5L  
 CAO packing instructions (IATA) : 856  
 CAO max net quantity (IATA) : 60L  
 Special provisions (IATA) : A3  
 ERG code (IATA) : 8L

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

IBC code : Not applicable.

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****15.1.1. EU-Regulations**

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Detergent Regulation : Labelling of contents:

Component	%
non-ionic surfactants	<5%

Directive 2012/18/EU (SEVESO III)

**15.1.2. National regulations****United Kingdom**

British National Regulations : Commission Regulation (EU) No. 453/2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals.  
 Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008.  
 Detergent Regulation (648/2004/EC).

**15.2. Chemical safety assessment**

No additional information available

**Safety Data Sheet**

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

**SECTION 16: Other information**

Full text of H- and EUH-statements:	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.

SDS EU (REACH Annex II)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*