

# FURNITURE POLISH

Safety Data Sheet

according to Regulation (EC) No. 453/2010

 Date of issue: 22/02/2019
 Revision date: 05/06/2015
 :
 Version: 10.0

 H
 K293
 K

### FURNITURE POLISH

FURNITURE POLISH	K29
SECTION 1: Identification of th	e substance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Product name	: FURNITURE POLISH
Product code	: K293
Type of product	: Aerosol
Vaporizer	: Aerosol
1.2. Relevant identified uses of th	ne substance or mixture and uses advised against
1.2.1. Relevant identified uses	
Main use category	: Professional use
Industrial/Professional use spec	: For professional use only
Use of the substance/mixture	: wax free polish for office furniture
1.2.2. Uses advised against	
No additional information available	
	enfetty data abaat
1.3. Details of the supplier of the SELDEN RESEARCH LIMITED	STADEN LANE, BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINGDOM
	Tel: 01298 26226 Fax: 01298 26540 Email: safety@selden.co.uk
1.4. Emergency telephone number	er de la companya de
Emergency number	: Mon to Fri 8.30am to 5.00pm - 01298 26226
SECTION 2: Hazards identifica	
2.1. Classification of the substan	ce or mixture
<b>Classification according to Regulation</b>	(EC) No. 1272/2008 [CLP]
Aerosol 1 H222;H229	
Full text of H-phrases: see section 16	
2.2. Label elements	
Labelling according to Regulation (EC	) No. 1272/2008 [CLP]
Hazard pictograms (CLP)	
,	
	GHS02
Signal word (CLP)	: Danger
Hazard statements (CLP)	: H222 - Extremely flammable aerosol
	H229 - Pressurised container: May burst if heated
Precautionary statements (CLP)	<ul> <li>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking</li> </ul>
	P211 - Do not spray on an open flame or other ignition source
	P251 - Do not pierce or burn, even after use
	P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F
EUH phrases	: EUH208 - Contains 5-Chloro-2-methyl-2H-isothiazol-3-one. May produce an allergic reaction
2.3. Other hazards	
No additional information available	
SECTION 3: Composition/infor	mation on ingredients
3.1. Substance	
Not applicable	

### 3.2. Mixture

according to Regulation (EC) No. 453/2010

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C10-13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	(CAS No) 64742-48-9 (EC no) 918-481-9 (EC index no) 649-327-00-6 (REACH-no) 01- 2119457273-39	15 - 30	R10	Flam. Liq. 3, H226 Asp. Tox. 1, H304
butane substance with national workplace exposure limit(s) (DK, GB, IE)	(CAS No) 106-97-8 (EC no) 203-448-7 (EC index no) 601-004-00-0	15 - 30	F+; R12	Flam. Gas 1, H220 Press. Gas
propane substance with national workplace exposure limit(s) (DK, IE)	(CAS No) 74-98-6 (EC no) 200-827-9 (EC index no) 601-003-00-5	5 - 15	F+; R12	Flam. Gas 1, H220

Full text of R- and H-phrases: see section 16

4.1. Description of first aid measures	
	· Cet medicel advise/attention if you feel unwell
First-aid measures general	: Get medical advice/attention if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash with plenty of soap and water.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if prese and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention.
4.2. Most important symptoms and eff	
Symptoms/injuries	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/injuries after inhalation	: May cause respiratory irritation.
Symptoms/injuries after skin contact	: Repeated exposure may cause skin dryness or cracking.
Symptoms/injuries after eye contact	: Causes eye irritation.
Symptoms/injuries after ingestion	: May cause a light irritation of the linings of the mouth, throat, and gastrointestinal tract.
4.3. Indication of any immediate medi	cal attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Carbon dioxide. Dry powder. Foam.
5.2. Special hazards arising from the	substance or mixture
Fire hazard	: Extremely flammable aerosol.
Explosion hazard	: Explosion risk in case of fire.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
SECTION 6: Accidental release me	
	equipment and emergency procedures
General measures	: Remove ignition sources.
General measures	. Renove ignition sources.
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
	. Los persensi protectivo equipment os required
Protective equipment	: Use personal protective equipment as required.
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for contain	ment and cleaning up
For containment	: Collect spillage.
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.
6.4. Reference to other sections	
	osure controls/personal protection". For further information refer to section 13.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
	. Dressurized container: Do not nieros er hurn, quen ofter une
Additional hazards when processed	: Pressurized container: Do not pierce or burn, even after use.

according to Regulation (EC) No. 453/2010

5 5 ( )	
Precautions for safe handling	: Do not spray on an open flame or other ignition source.
Hygiene measures	: Do not eat, drink or smoke when using this product.
7.2. Conditions for safe	storage, including any incompatibilities
Technical measures	: Does not require any specific or particular technical measures.
Storage conditions	<ul> <li>Keep away from ignition sources. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.</li> </ul>
Incompatible products	: Oxidizing agent. Strong acids. Strong bases.
Incompatible materials	: Direct sunlight. Heat sources. Sources of ignition.
Special rules on packaging	: Keep only in original container.
7.3. Specific end use(s)	

No additional information available

### SECTION 8: Exposure controls/personal protection

Remark (WEL)

8.1. Control parameters		
propane (74-98-6)		
Denmark	Local name	Propan
Denmark	Grænseværdie (langvarig) (mg/m <sup>3</sup> )	1800 mg/m³
Denmark	Grænseværdie (langvarig) (ppm)	1000 ppm
Ireland	Local name	Propane
Ireland	OEL (8 hours ref) (ppm)	1000 ppm
Ireland	Notes (IE)	Asphx
butane (106-97-8)		
Denmark	Local name	n-Butan
Denmark	Grænseværdie (langvarig) (mg/m3)	1200 mg/m³
Denmark	Grænseværdie (langvarig) (ppm)	500 ppm
Ireland	Local name	Butane
Ireland	OEL (8 hours ref) (ppm)	1000 ppm
United Kingdom	Local name	Butane
United Kingdom	WEL TWA (mg/m³)	1450 mg/m³
United Kingdom	WEL TWA (ppm)	600 ppm
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	1810 mg/m³
United Kingdom	WEL STEL (ppm)	750 ppm

8.2. Exposure controls	
Materials for protective clothing	: Not required for normal conditions of use
Hand protection	: In case of repeated or prolonged contact wear gloves
Eye protection	: Not required for normal conditions of use
Skin and body protection	: Not required for normal conditions of use
Respiratory protection	: Not required for normal conditions of use

SECTION 9: Physical and chemica	Il properties
9.1. Information on basic physical and	d chemical properties
Physical state	: Liquid
Appearance	: Aerosol.
Colour	: white.
Odour	: strong.
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available

United Kingdom

Carc, (only applies if Butane contains more than 0.1% of buta-1,3-diene)

according to Regulation (EC) No. 453/2010

Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 0,78
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

#### 9.2. Other information

No additional information available

OFOT			
SECT	ION 10: Stability and reactivity		
10.1.	Reactivity		
Pressu	rised container: May burst if heated.		
10.2.	Chemical stability		
Stable	under normal conditions.		
10.3.	Possibility of hazardous reactions		
No add	itional information available		
10.4.	Conditions to avoid		
Direct s	sunlight. Heat. Open flame.		
<b>10.5</b> .	Incompatible materials		
No add	itional information available		
10.6.	Hazardous decomposition products		
N	the second factor and the second s		

No additional information available

<b>SECTION 11: Toxicological informat</b>	tion
11.1. Information on toxicological effects	\$
Acute toxicity	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
FURNITURE POLISH (HIGHLY PERFUMED)	
Vaporizer	Aerosol

### **SECTION 12: Ecological information**

12.1. Toxicity

Hydrocarbons, C10-13, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-48-9)		
LC50 fishes 1	> 1000 mg/l	
EC50 other aquatic organisms 1	> 1000 mg/l EC50 waterflea (48 h)	
EC50 other aquatic organisms 2	> 1000 mg/l IC50 algea (72 h) mg/l	

### 12.2. Persistence and degradability

No additional information available

FURNITURE POLISH		K293
Safety Data Sheet		
according to Regulation (EC) No. 453/2010		
12.3. Bioaccumulative potential		
No additional information available		
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assess	sment	
No additional information available		
12.6. Other adverse effects		
No additional information available		
SECTION 13: Disposal consideration	tions	
13.1. Waste treatment methods		
Waste disposal recommendations	: Do not pierce or burn, even after use.	
SECTION 14: Transport information	on	
In accordance with ADR / RID / IMDG / IATA	/ ADN	
14.1. UN number		
UN-No. (ADR)	: 1950	
UN-No. (IMDG) UN-No.(IATA)	: 1950 : 1950	
14.2. UN proper shipping name		
Proper Shipping Name (ADR)	: AEROSOLS	
Proper Shipping Name (IMDG)	: AEROSOLS	
Proper Shipping Name (IATA)	: AEROSOLS, FLAMMABLE	
Transport document description (ADR)	: UN 1950 AEROSOLS, 2.1, (D)	
Transport document description (IMDG)	: UN 1950 AEROSOLS, 2.1	
14.3. Transport hazard class(es) ADR		
Transport hazard class(es) (ADR)	: 2.1	
Danger labels (ADR)	: 2.1	
	2	
	•	
IMDG		
Transport hazard class(es) (IMDG)	: 2.1	
Danger labels (IMDG)	: 2.1	
	2	
Transport hazard class(es) (IATA) Hazard labels (IATA)	: 2.1 : 2.1	
	<b>W</b>	

according to Regulation (EC) No. 453/2010

14.4. Packing group	
Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

#### Special precautions for user 14.6.

- Overland transport		
Classification code (ADR)	: 5F	
Special provisions (ADR)	: 190, 327, 344, 625	
Limited quantities (ADR)	: 1L	
Excepted quantities (ADR)	: E0	
Packing instructions (ADR)	: P207, LP02	
Special packing provisions (ADR)	: PP87, RR6, L2	
Mixed packing provisions (ADR)	: MP9	
Transport category (ADR)	: 2	
Special provisions for carriage - Packages (ADR)	: V14	
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV9, CV12	
Special provisions for carriage - Operation (ADR)	: S2	
Tunnel restriction code (ADR)	: D	
- Transport by sea		
Special provisions (IMDG)	: 63, 190, 277, 327, 344, 959	
Limited quantities (IMDG)	: SP277	
Excepted quantities (IMDG)	: E0	
Packing instructions (IMDG)	: P207, LP02	
Special packing provisions (IMDG)	: PP87, L2	
EmS-No. (Fire)	: F-D	
EmS-No. (Spillage)	: S-U	
Stowage category (IMDG)	: None	
- Air transport		
PCA Excepted quantities (IATA)	: E0	
PCA Limited quantities (IATA)	: Y203	
PCA limited quantity max net quantity (IATA)	: 30kgG	
PCA packing instructions (IATA)	: 203	
PCA max net quantity (IATA)	: 75kg	
CAO packing instructions (IATA)	: 203	
CAO max net quantity (IATA)	: 150kg	
Special provisions (IATA)	: A145, A167, A802	
ERG code (IATA)	: 10L	
14.7. Transport in bulk according to Ann	ex II of MARPOL 73/78 and the IBC Code	
IPC and	. Natangliankin	

IBC code

: Not applicable.

### **SECTION 15: Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1.

#### 15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

#### 15.1.2. National regulations



#### Denmark

**Recommendations Danish Regulation** 

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV

: Young people below the age of 18 years are not allowed to use the product

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

**Chemical safety assessment** 15.2.

No additional information available

#### **SECTION 16: Other information**

#### Full text of R-, H- and EUH-phrases:

Aerosol 1	Aerosol, Category 1
Asp. Tox. 1	Aspiration hazard, Category 1
Flam. Gas 1	Flammable gases, Category 1
Flam. Liq. 3	Flammable liquids, Category 3
Press. Gas	Gases under pressure
H220	Extremely flammable gas
H222	Extremely flammable aerosol
H226	Flammable liquid and vapour
H229	Pressurised container: May burst if heated
H304	May be fatal if swallowed and enters airways
EUH208	Contains . May produce an allergic reaction

SDS EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product